REMARKS

Before examination on the merits, please enter this

Preliminary Amendment. Entry of this Preliminary Amendment is
respectfully requested and deemed in order.

Claims 1, 2, 4-8, 14-20, 22-24, 26 and 27 are presented in this Amendment for examination on the merits. New claims 28 and 29 have been added.

Claim 4 has been amended to depend from pending claim 1.

Applicant wishes to thank Examiner Bonzo for the courtesies extended during the telephonic interview conducted on November 26, 2001, in which the Examiner provided some helpful suggestions regarding claim language.

Claims 1, 5, 9 and 10 stand rejected under 35 U.S.C. §

102(e) as being anticipated by <u>Baclawski</u>. In response, claim 1 has been amended and is believed patentable over <u>Baclawski</u> for the reasons discussed below.

Claim 1 has been amended to recite that the gathering step is directed by a presence. <u>Baclawski</u> does not have a gathering step because the data has already been gathered. Thus, claim 1 is not met by <u>Baclawski</u> and the anticipation rejection should be withdrawn.

Claims 2, 14, 20, 21, 23, 25 and 27 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over McCreery. For the reasons discussed above with respect to claim 1, the obviousness rejection should be withdrawn.

All objections and rejections having been addressed, it is

respectfully submitted that the present application should be in condition for allowance and a Notice to that effect is earnestly solicited.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 07-1337 and please credit any excess fees to such deposit account.

Respectfully submitted,

LOWE HAUPTMAN GILMAN & BERNER, LLP

Kenneth M. Berner
Kenneth M. Berner

Registration No. 37,093

1700 Diagonal Road, Suite 310 Alexandria, Virginia 22314

(703) 684-1111 KMB:jad **Date:** December 18, 2001

Facsimile: 703-518-5499

MARTED-UP VIERSION SHOWING CHANGES

IN THE SPECIFICATION

On page 8, amend the third full paragraph as follows:

As depicted in Figure 2, a network usable with the present invention includes a presence 150, a computer system 160 and a computer system 170 connected to a network such as the Internet. The network illustrated in Figure 2 can also be called a virtual Other types of networks such as local area networks, wide area networks and the like can also be used with the present invention. The presence 150 includes the computer software used in the present invention. Other computer systems including the depicted computer systems 172 and 174 generate message traffic which is sent to presence 150. The presence 150 is expecting the event stream sent by the gatherer agent to be of a predetermined The presence 150 is configured to be able to use this format. native format information and, if necessary, perform a transformation. [The information sent by a gatherer agent should have information suchl

Page 8, last paragraph, through page 10, third full paragraph, amend as follows:

Computer system [160] <u>170</u> includes an illustrated hunter agent 175 and a message database 180. The hunter agent 175 is sent by the presence 150 to the computer system [160] <u>170</u>. The message database 180 can receive information from many sources

such as [the illustrated <u>a</u> satellite link. Functionally, an agent is computer software, transportable over a computer network from one computer to another, to implement a desired function on the destination computer. An agent can also be defined as a transferable self-contained set of executable code instructions. The hunter agent 175 uses information contained in the message database 180 to create and send an event stream object (ESO) 182 to the presence 150. A relationship 184 exists between the ESO 182 and the message database 180. The hunter agent 175 [have] has to go out and look for information contained in databases throughout the network. The hunter agent can transform the events into a standardized format for use by the presence <u>150</u> which can include at least some of the following information associated with each event: type, title, datetime, keywords, summary, priority, and duration.

Computer system [170] 160 includes an illustrated gatherer agent 190 and a database 195. The gatherer agent 190 is sent by the presence 150 to the computer system [170] 160. The database 195 can receive information from many sources such as the [illustrated] satellite link. The gatherer agent 190 sends information to the presence 150. The gatherer agent 190 relays information to the presence in a native format as the information is updated at the database 195. The events will have at least some of the following information associated with each event: type, title, datetime, keywords, summary, priority, and duration.

There are three basic types of event stream [object

production] <u>objects</u> as used by a cluster of presence entities, as illustrated in Figure 2A.

The first, "Hunter Dynamic" 200, depicts the extraction of event information from a legacy data source. In this case, [an] a specialized event stream object [specialized] 202 to the particular legacy data type is created to represent the data source record. This specialized object 202 retains a pointer back to the original record, allowing it to extract additional information and update information as appropriate.

The second, Hunter Static" 204, also depicts the extraction of event information from a legacy data source. In this case, however, a generic event stream object 206 is created and the standard information elements are "filled in" as appropriate.

Third, the "Gatherer" approach shows the identification of newly created information in "new development" data sources 208. In this case, it is assumed that the information objects 210 were developed with the standard event stream interface 212 and elements in mind, and can thus be used by the presence 150 with no additional modification.

Finally, [the diagram] <u>Figure 2A</u> depicts each of the event stream objects being sent to [the] <u>a</u> top-level presence entity 150 for its use, and any delegated use by subordinate presence objects.

As illustrated in Figure 3, events <u>are</u> sent by computer systems 160, 170, 172, 174 to the presence 150. Preferably, the events or event streams sent by the computer systems 160, 170,

172, 174 are in a standardized format and include the information listed above for the hunter 175 and gatherer 190 agents. It may be necessary to have separate code at the presence 150 for standardizing the incoming message traffic. The presence 150 includes the inventive computer software for applying rules and taking actions of the events ingested by the presence 150 and sorting the ingested events into streams of events 220, 222, 224. Only three streams are depicted although the present invention is not limited to any specific number of streams. Events received by a presence are usually organized into logical groupings known as streams. These streams can be used to systematize information. The stream names are devised by the user and events are moving onto streams through the automatic application of rules created by the user.

IN THE CLAIMS

Please amend the claims as follows:

1. (Amended) A method [for] of monitoring [an incoming data stream] a computer network for specified events at a presence, comprising:

at two or more remote computers and placing the gathered data in a data stream and forwarding the data stream to the presence;

receiving, at the presence, the at least one data stream <u>sent from the</u> [at a computer] <u>two or more remote computers</u>, the data stream including data representative of events; and applying rules to the <u>at least one</u> data stream <u>at the presence</u> for sorting data representative of events and for taking <u>one or more actions</u> [action] based on a specified event.

- 3. Cancel
- 4. (Amended) The method of claim [3] $\underline{1}$, wherein said gathering step is performed by an agent.
 - 9. Cancel
 - 10. Cancel
 - 11. Cancel
 - 12. Cancel
 - 13. Cancel
 - 21. Cancel
- 22. (Amended) An article <u>usable to monitor a computer</u> network for specified events at a presence, comprising:

at least one sequence of machine executable instructions;
a medium bearing the executable instructions in machine
readable form, wherein execution of the instructions by one or
more processors causes the one or more processors to:

gather heterogeneous data, as directed by the presence, at two or more remote computers and place the gathered data in a respective data stream to the presence;

receive at least one data stream at [a computer] the presence, the data stream including data representative of

events; and

apply rules to the data stream <u>at the presence</u>, for sorting data representative of events and for taking <u>one or more</u> [an action] <u>actions</u> based on a specified event.

24. (Amended) A computer architecture for monitoring [an incoming data stream] a computer network at a presence for specified events, comprising:

gathering means, at two or more remote computers, for gathering heterogeneous data, as directed by the presence, and placing the data in a respective data stream and forwarding the data stream to the presence;

receiving means, at the presence, for receiving at least one data stream at a computer, the data stream including data representative of events; and

applying means, at the presence, for applying rules to the at least one data stream for sorting data representative of events and for taking one or more [an action] actions based on a specified event.

25. Cancel

- 26. (Amended) A computer system <u>usable to monitor a</u>

 computer network for specified events at a presence, comprising:
 - a processor; and
 - a memory coupled to said processor, the memory having stored

therein sequences of instructions, which, when executed by said processor, causes said processor to perform the steps of:

gathering heterogeneous data, as directed by the presence,
at two or more remote computers and placing the gathered data in
a respective data stream to the presence;

receiving at least one data stream [at a computer] at the presence, the data stream including data representative of events; and

applying rules to the data stream <u>at the presence</u> for sorting data representative of events and for taking <u>one or more actions</u> [an action] based on a specified event.